

# SeClear

Algaecide and Water Quality Enhancer®

**SPECIMEN**



For use in aquatic sites including: ponds, lakes, reservoirs, irrigation and drainage canals, laterals and ditches; including potable water sources.

INTENDED FOR COMMERCIAL USE ONLY

**Active Ingredient:**

Copper Sulfate Pentahydrate <sup>†</sup> (CAS# 7758-99-8).....	16.2%
Other Ingredients .....	83.8%
<b>TOTAL .....</b>	<b>100.0%</b>

<sup>†</sup>Metallic Copper equivalent = 4.1%

This product contains 0.417 lbs metallic copper per gallon.

## Keep Out of Reach of Children CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**NOTICE:** Read the entire label before using. Use only according to label directions. Before buying or using this product, read Warranty Disclaimer and Misuse statements inside label booklet. If terms are unacceptable, return at once unopened.

This product has been tested and certified by WQA according to NSF/ANSI 60 standards based upon its composition. This seal does not imply enhanced safety or efficacy.



EPA Reg. No. 67690-55

FPL20160125

®SeClear Algaecide and Water Quality Enhancer is a registered trademark of SePRO Corporation.

SePRO Corporation 11550 North Meridian Street, Suite 600, Carmel, IN 46032, U.S.A.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION.** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

For applications in waters destined for use as drinking water, those waters must receive additional and separate potable water treatment.

Do not apply more than 1.0 ppm of metallic copper in these waters during any single treatment.

FIRST AID	
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything to an unconscious person.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call <b>INFOTRAC</b> at <b>1-800-535-5053</b> .	

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

For all types of applications, mixers, loaders, applicators and other handlers must wear the following:

- Long-sleeve shirt,
- Long pants,
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

**Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Waters treated with this product may be hazardous to aquatic organisms. Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds. This oxygen loss can cause fish and invertebrate suffocation. To minimize this hazard, do not treat more than 1/2 of the water body to avoid depletion of oxygen due to decaying vegetation. Wait a minimum of 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State or local agency with primary responsibility for regulating pesticides before applying to public waters, to determine if a permit is required.

Certain water conditions including low pH (≤6.5), low dissolved organic carbon (DOC) levels (3.0 mg/L or lower), and "soft" waters (i.e., alkalinity less than 50 mg/L), increase the potential acute toxicity to non-target aquatic organisms. Do not use in waters containing trout or other fish species that are highly sensitive to copper if the carbonate hardness is less than 50 ppm. Fish toxicity generally decreases when the hardness of water increases. Do not use this product in ornamental ponds containing Koi.

**Obtain Required Permits:** Consult with appropriate state or local pesticide and/or water authorities before applying this product in or around public waters. Permits and posting or treatment notification may be required by State, Tribal, or local public agencies.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

**DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Ensure spray does not drift onto non-target areas.

**DO NOT** apply this product in any manner not specifically described in this label. Observe all cautions and limitations on this label and on the labels of products used in combination with this product. Keep containers closed to avoid spills and contamination.

### PRODUCT INFORMATION

**Controlling Algae**

This product rapidly disrupts numerous algae cell processes and shuts down growth. This product is effective in controlling a broad range of algae including: green, yellow/green and blue-green (cyanobacteria) algae comprising diverse growth forms such as filamentous, colonial, planktonic and macrophytic. Treated algae typically begin to show discoloration within a day and degrade over time.

**Improving Water Quality**

This product can improve water quality by:

1. Offsetting eutrophication through proactive maintenance programs.
2. Decreasing phosphorus concentrations from the water column through binding and precipitation of excess phosphorus.
3. Binding and precipitating suspended solids, thereby reducing turbidity and unwanted coloration.

Use lower concentrations/rates in softer water (<50 ppm alkalinity) or when treating algae with greater susceptibility to this product; use moderate to higher concentrations/rates in harder water (>50 ppm alkalinity) and when treating heavier infestations and/or less susceptible algae.

## Treatment Notes

Performance of this product is enhanced under certain conditions. It is recommended to consult a SePRO Aquatic Specialist for guidance in implementing a treatment program to achieve optimal results. To achieve optimum effectiveness, consider:

- Proactive Control: Treat when algae growth first begins to appear (if possible). Continue to proactively offset algae infestations and improve water quality by sustaining a routine maintenance program.
- Reactive Control: Treat when algae are actively growing and select appropriate rates based on site conditions.
- Apply in a manner that will ensure even distribution of this product within the treatment area.
- To optimize exposure and control, use a high-pressure spray application to break up dense algae mats.
- In heavily infested areas, follow-up applications may be necessary. Re-treat areas if re-growth begins to appear or if seasonal control is desired.
- **It is recommended to design and implement an annual maintenance program which includes monitoring algae and basic water quality parameters to optimize nuisance algae control and water quality management. Contact SePRO Corporation for assistance in algae identification, treatment prescription and implementation using this product (Note: SePRO Corporation's technical service of algae identification, site monitoring and assessment is referred to as SeSCRIPT® analysis - ☎ 252-437-3282).**

## Precautions and Restrictions

- Do not apply an undiluted solution of this product directly to, or otherwise permit it to come into contact with any desirable plants as injury may result. Do not apply in such a way that this concentrated product comes in contact with crops, ornamentals, grass or other desirable plants. Wash spray equipment thoroughly before and after each application.

## Spray Drift Management

The following spray drift management requirements are for application methods except for those where the product is injected under the water surface (i.e. sub-surface applications). Surface applications should be made only when there is little or no hazard for spray drift. Very small quantities of spray, which may not be visible, may seriously injure susceptible plants. A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application (e.g., ground, aerial, airblast, chemigation) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product. Avoiding spray drift at the application site is the responsibility of the applicator. The applicator is responsible for considering all these factors when making decisions. Do not conduct a surface spray application when wind is blowing toward desirable susceptible crops or ornamental plants near enough to be injured. Under these conditions, this product may be applied using a sub-surface injection.

## Droplet Size

Apply only as a medium or coarser spray (ASAE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

## Wind Speed

Do not apply as a surface spray at wind speeds greater than 15 mph. Only apply this product if the wind direction favors on-target deposition (approximately 3 to 10 mph), and there are no sensitive areas within 250 feet downwind.

## Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must

determine if a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make surface applications into areas of temperature inversions or stable atmospheric conditions.

## Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of copper compounds. Where states have more stringent regulations, they must be observed.

## Equipment

All aerial and ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates. *Additional requirements for aerial applications:* The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter. Release spray at the lowest height consistent with efficacy and flight safety. Do not release spray at a height greater than 10 feet above the water's surface unless a greater height

is required for aircraft safety. When applications are made with a crosswind, the swath must be displaced downwind. The applicator must compensate for this displacement at the up and downwind edge of the application area by adjusting the path of the aircraft upwind.

## APPLICATION INFORMATION

Do not exceed a concentration of 1.0 ppm copper during any single application; wait a minimum of 14 days between treatments except when treating new source water in flowing water sites (refer to *Drip System or Metering Pump Application for Flowing Water Treatments*). (Note: In aquaculture, do not exceed a concentration of 0.4 ppm during any single application).

## Application Methods and Rates

### Surface Spray/Injection Algaecide Application

The application concentrations/rates in Table 1 are based on static or minimal flow situations. Where significant dilution occurs from untreated waters or loss of water, this product may have to be metered in (refer to the *Drip System or Metering Pump Application for Flowing Water Treatments* section of this label).

Identify the algae growth present as one of the following types: planktonic (suspended), filamentous (mat-forming), or macrophytic algae (*Chara/Nitella*). For assistance with algae identification, contact SePRO Corporation. (☎ 252-437-3282).

Determine the surface acreage (1 acre = 43,560 ft<sup>2</sup>) and average depth of infested area.

Refer to chart below to determine pounds of this product to apply per acre foot (one acre of water, one foot deep).

Algae Type or Species	PPM Metallic Copper	Gallons per Acre Foot	Treatment Comments
Planktonic (Suspended)	0.15 - 1.0	1.0 - 6.5	Apply higher rates on heavy blooms and where algae masses are clumped and accumulated.
Filamentous (Mat-forming)	0.15 - 1.0	1.0 - 6.5	Apply higher rates on surface mats and species such as <i>Pithophora</i> , <i>Cladophora</i> , <i>Lyngbya</i> , and <i>Hydrodictyon</i> .
Macrophytic ( <i>Chara/Nitella</i> /Starry Stonewort)	0.4 - 1.0	2.5 - 6.5	Apply higher rates on older, established calcified plants. Apply as close to algae growth as possible.

† For planktonic and filamentous algae, this product may be applied up to 1.0 ppm when growth conditions require higher rates and for difficult to control species (such as *Hydrodictyon*, *Cladophora* or *Pithophora*).

### Application Rate Calculation Example:

The amount of this product to be applied to provide the desired concentration of 0.15 ppm of active ingredient in a 1 acre treatment area with an average depth of 4 feet may be calculated as follows:

$$1 \text{ acre} \times 4 \text{ foot average depth} = 4 \text{ acre feet} \\ 1.0 \text{ gallon per acre foot} \times 4 \text{ acre feet} = 4 \text{ gallons}$$

For planktonic (suspended) algae and free-floating filamentous algae mats, application rates and techniques should be based on treating to depths where algae are present (e.g. the upper 3 to 4 feet of water). For dense infestations and in certain other situations, it may be necessary to calculate rates based on the depth of known algae infestation (e.g. >4 feet) or require treating the entire water column in the target area.

As a surface or subsurface application, this product may be applied diluted or undiluted, whichever is most suitable to ensure uniform coverage of the area to be treated. Dilution with water may be necessary at the lower application rates. Dilute the required amount of this product with enough water to ensure even distribution in the treated area with the type of equipment being used. For best results, dilute this product in water to provide a minimum spray mix of 20 to 50 gallons per acre; in areas with heavy infestations of filamentous algae, a total tank mix of >50 gallons per acre may be necessary; break up floating algae mats before spraying or while application is being made.

**Drip System or Metering Pump Application for Flowing Water Treatments**

**For Use in Potable Water, Canals, Ditches, and Irrigation and Drainage Systems**

For optimal control, apply this product upstream of or at the site of algae growth as soon as algae begin active growth or interfere noticeably with normal delivery of water (clogging of headgates, suction screens, weed screens, and siphon tubes). Delaying treatment could perpetuate the problem causing massing and compacting of plants. Heavy infestations and low flow may cause poor distribution resulting in unsatisfactory control. Under these conditions repeated applications or increasing water flow rate during application may be necessary. See the "Application Information" section above for the minimum time interval required between repeated applications.

To achieve desired control with this product in flowing waters, a minimum exposure period of one to three hours should be maintained at a concentration of 0.15 to 1.0 ppm. Other factors to consider include: weed or algae species, density of infestation and water temperature and hardness. Longer contact times and the highest rates may be required for less susceptible algae species and in difficult treatment conditions (e.g. less susceptible weed or algae species, dense weed or algae beds, hard water).

Prior to treatment it is important to accurately determine water flow rates. In the absence of weirs, orifices, or similar devices, which give accurate waterflow measurements, volume of flow can be estimated by the following formula:

$$\text{Cubic feet per second (CFS)} = \text{average width (feet)} \times \text{average depth (feet)} \times \text{average velocity (feet/second)} \times 0.9$$

After accurately determining the water flow rate in CFS or gallons/minute, find the corresponding product rate in Table 2 or use the below formula.

$$\text{CFS} \times \text{desired concentration of metallic copper (ppm)} \times 2.1 = \text{quarts/hour of application}$$

TABLE 2.				
Application Rates For Flowing Water				
Water Flow Rate		PPM metallic Copper	Rate	
CFS	gal / min.		Quart / hr.	fl. oz. / min.
1	450	0.15 - 1.0	0.3 - 2.1	0.2 - 1.1
2	900	0.15 - 1.0	0.7 - 4.2	0.4 - 2.2
3	1,350	0.15 - 1.0	1.0 - 6.4	0.6 - 3.4
4	1,800	0.15 - 1.0	1.4 - 8.5	0.7 - 4.5
5	2,250	0.15 - 1.0	1.7 - 10.7	0.9 - 5.7
10	4,500	0.15 - 1.0	3.4 - 21.4	1.8 - 11.4
100	45,000	0.15 - 1.0	34.3 - 214.5	18.3 - 114.3

Calculate the amount of product needed to maintain the drip rate for a treatment period of 3 hours by multiplying **quart(s)/hour by 3 or fl. oz./minute by 180**. For longer injection periods, multiply dosage rate by desired time in minutes or hours as appropriate.

Lower concentrations may be used on highly susceptible algae species or if longer exposure times are maintained. When possible, introduce the chemical in the channel at weirs or other turbulence-creating structures to promote the dispersion of the chemical. For longer injection periods, multiply the rate by the desired time in minutes or hours as appropriate.

Use a drum or tank equipped with a valve or other volume control device that can be calibrated to maintain a constant drip rate. Use a stopwatch and appropriate measuring container to set the desired drip rate. Readjust accordingly if the canal flow rate changes during the treatment period. A small pump or other metering device may be used to meter this product into the water more accurately. Application can be made using diluted or undiluted product.

Results can vary depending upon species and density of algae and vegetation, desired distance of control and flow rate, and impact of water quality on efficacy. Periodic maintenance treatments may be required to maintain seasonal control. It is recommended to consult a SePRO Aquatic Specialist to determine optimal use rate, location of treatment stations and treatment period under local conditions.

**Tank Mix Directions**

This product may be tank mixed with other products to enhance efficacy and plant selectivity provided that the labels do not prohibit such mixing. This product can be tank mixed with herbicides registered for aquatic use to improve efficacy; and to control algae in areas where heavy algae growth may cover target submersed plant species and interfere with herbicide exposure. When tank mixing, read and follow the labeled precautionary statements, directions for use, weeds controlled, and other restrictions for each tank mix product. **Use in accordance with the most restrictive label limitations and precautions of the products used in the tank-mix.** Do not exceed any label rate or dose. To ensure compatibility, conduct a jar test before field application of any tank mix combination. It is recommended to consult with SePRO Corporation for latest tank mix recommendations.

**NOTE:** Tank mixing or use of this product with any other product which is not specifically and expressly authorized by the label shall be at the exclusive risk of the user, applicator and/or application adviser, to the extent allowed by applicable law.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by improper storage or disposal. **Pesticide Storage:** Keep from freezing. Store in original container only. Do not store near feed or foodstuffs. In case of leak or spill, use absorbent materials to contain liquids and dispose as waste. **Pesticide Disposal:** Wastes resulting from use of this product may be used according to label directions or disposed of at an approved waste disposal facility. **Container Handling**  
**Non-refillable Container. DO NOT reuse or refill this container.** Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities. If burned, stay out of smoke.

**Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**Triple rinse containers too large to shake (capacity >5 gallons) as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.

**Pressure rinse as follows:** Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

**IN CASE OF EMERGENCY**

In case of large-scale spillage regarding this product, call INFOTRAC at 1-800-535-5053.

- Steps to be taken in case material is released or spilled:
- Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal.
  - Remove contaminated clothing, and wash affected skin areas with soap and water.
  - Wash clothing before reuse.
  - Keep the spill out of all sewers and open bodies of water.

**Warranty Disclaimer:** SePRO Corporation warrants that this product conforms to the chemical description on the product label. Testing and research have also determined that this product is reasonably fit for the uses described on the product label. To the extent consistent with applicable law, SePRO Corporation makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty and any such warranties are expressly disclaimed.

**Misuse:** Federal law prohibits the use of this product in a manner inconsistent with its label directions. To the extent consistent with applicable law, the buyer assumes responsibility for any adverse consequences if this product is not used according to its label directions. In no case shall SePRO Corporation be liable for any losses or damages resulting from the use, handling or application of this product in a manner inconsistent with its label.

For additional important labeling information regarding SePRO Corporation's Terms and Conditions of Use, Inherent Risks of Use and Limitation of Remedies, please visit <http://seprolabels.com/terms> or scan the image below.



©Copyright 2017 SePRO Corporation

®SeClear Algaecide and Water Quality Enhancer is a registered trademark of SePRO Corporation



**SePRO Corporation**  
11550 North Meridian Street, Suite 600  
Carmel, IN 46032, U.S.A.